

Section 1 – Identification

1(a) Product Identifier used on Label: ClarkDietrich SOUND CLIP™ (CDSC)

1(b) Use/Description: The ClarkDietrich Sound Clip™ (CDSC) is used in conjunction with 18mil (25ga) 7/8" deep drywall furring channel. It is used to fasten gypsum wallboard in various wall and floor-ceiling applications, while simultaneously providing acoustical separation.

1(d) Products: Cold-Formed Steel Framing components and accessories for Interior and Exterior Finishing applications.

1(d) Synonyms: None

1(e) Company Identification and Emergency Contact Information: ClarkDietrich

Corporate Office:


9050 Centre Point Drive, Suite 400
West Chester, OH 45069

Phone: 513-870-1100

Fax: 513-870-1300

<http://www.clarkdietrich.com/>

OSHA “Article” Exemption Statement



The CDSC is an “article” and not considered to be or to contain hazardous chemicals based on evaluations made by our company under the OSHA Hazard Communication Standard.

The OSHA 1910.1200 Hazard Communication standards in the Scope and Application section (1910.1200(b)) states the following in 1910.1200(b)(1):

This section requires chemical manufacturers or importers to classify the hazards of chemicals which they produce or import, and all employers to provide information to their employees about the hazardous chemicals to which they are exposed, by means of a hazard communication program, labels and other forms of warning, safety data sheets, and information and training. In addition, this section requires distributors to transmit the required information to employers.

It then continues by clarifying exemptions items in the following sections:

1910.1200(b)(6)

This section does not apply to:

1910.1200(b)(6)(v)

Articles (as that term is defined in paragraph (c) of this section);

1910.1200(c) - Definitions.

Article means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees.